



Ajay Mishra ORCID iD: 0000-0003-4862-5053

Kamal Sahu ORCID iD: 0000-0002-0382-6882

Title page

Type of article: Letter to Editor

Title: Patterns of heart Injury in COVID – 19 and relation to outcome.

Authors:

Ajay Kumar Mishra^a MD, Kamal Kant Sahu^a MD, Amos Lal^b MD, Jennifer Sargent^c DO

Word count: 376

a: Resident, Department of Internal Medicine, St Vincent Hospital, Worcester, MA

b; Fellow in Department of Pulmonology and Critical Care Medicine, Mayo Clinic,
Rochester

c: Assistant Professor in Internal Medicine, University of Massachusetts Medical School,
Saint Vincent Hospital, Worcester, Massachusetts

Corresponding author,

Dr. Ajay Kumar Mishra, MD

This article has been accepted for publication and undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the Version of Record. Please cite this article as doi: 10.1002/jmv.25847.

This article is protected by copyright. All rights reserved.

Accepted Article

Department of Internal Medicine

St Vincent Hospital

123 summer street, Worcester, MA

Ajay.Mishra@stvincenthospital.com

Phone: 5083635000

CONFLICT OF INTEREST: Authors have no conflicts of interest to declare.

ETHICAL STATEMENT: The article doesn't contain the participation of any human being and animal.

VERIFICATION: All authors have seen the manuscript and agree to the content and data. All the authors played a significant role in the paper.

Funding: None

Article type: Letter to Editor

Article title: Patterns of heart Injury in COVID – 19 and relation to outcome..

Article:

We read with much interest the article “Analysis of heart injury laboratory parameters in 273 COVID-19 patients in one hospital in Wuhan, China” by Han et al as published in March 2020. In this retrospective, single center study authors have discussed the role of

This article is protected by copyright. All rights reserved.

acute cardiovascular injury marker including CK-MB, Myoglobin, cardiac troponin I (cTnI) and NT- proBNP on the outcome of 273 patients with COVID-19 disease. Authors have suggested that elevated concentrations of these enzymes in venous blood were related to disease severity and poor outcome¹. We believe that this topic is relevant and evolving. We have the following additional comments for further understanding of the disease and its various pathophysiological bases in cardiac involvement.

Non ischemic and ischemic myocardial injury has been attributed to be the two principle pathophysiological basis of acute cardiac injury in COVID-19 patients². Of the two, nonischemic myocardial injury is predominant and is secondary to multiple secondary mechanisms. The various distinct mechanisms for non-ischemic myocardial injuries that have been published in the literature are – [i] cytokine storm as documented by significantly raised inflammatory markers [ii] secondary to hemophagocytic lymphohistiocytosis, [iii] viral myocarditis with reports of progression to fulminant myocarditis, [iv] stress cardiomyopathy, and [v] hypoxia induced cardiac myocyte apoptosis³⁻⁵.

Markers of cardiac injury including CK-MB, MYO, LDH, ultra-TnI, NT-proBNP, D-dimer are elevated in any of the above patterns of cardiac injury. However, in most studies of COVID-19 patients showing increased mortality, an elevated troponin I level has been uniformly associated with uncontrolled inflammation secondary to cytokine storm. This phenomenon of infection related increased cytokine release is identified by an elevated plasma level of several inflammatory markers. Various inflammatory markers that are shown to be elevated in patients with COVID-19 related cardiac injury are C-reactive protein (CRP), procalcitonin, ferritin, D- dimer, Interleukin - 2 (IL-2),

Interleukin – 7 (IL-7), granulocyte – colony stimulating factor, IgG- induced protein 10, chemokine ligand 3 and tumor necrosis alpha^{2,3,6}. Did the authors have the details of various inflammatory markers among their patients?

Not only that cytokine storm related cardiac injury has been consistently reported in most studies, but it has also been identified to be predictors of complications like acute respiratory distress, acute kidney injury, the severity of illness, requirement of intensive care unit admission and higher mortality^{2,7,8}.

References:

1. Han H, Xie L, Liu R et al. Analysis of heart injury laboratory parameters in 273 COVID-19 patients in one hospital in Wuhan, China. *J Med Virol*. 2020 Mar 31;
2. Shi S, Qin M, Shen B et al. Association of Cardiac Injury With Mortality in Hospitalized Patients With COVID-19 in Wuhan, China. *JAMA Cardiol*. 2020 Mar 25. doi: 10.1001/jamacardio.2020.0950.
3. Clerkin Kevin J., Fried Justin A., Raikhelkar Jayant, et al. Coronavirus Disease 2019 (COVID-19) and Cardiovascular Disease. *Circulation*. 0(0). doi:10.1161/CIRCULATIONAHA.120.046941
4. Driggin E, Madhavan MV, Bikdeli B et al. Cardiovascular Considerations for Patients, Health Care Workers, and Health Systems During the Coronavirus Disease 2019 (COVID-19) Pandemic. *J Am Coll Cardiol*. 2020 Mar 18. pii: S0735-1097(20)34637-4. doi: 10.1016/j.jacc.2020.03.031.

5. Sahu KK, Mishra AK, Lal A. Novel coronavirus (2019-nCoV): Update on 3rd Coronavirus Outbreak of 21st Century. QJM Mon J Assoc Physicians. March 2020. doi:10.1093/qjmed/hcaa081
6. Zheng Y-Y, Ma Y-T, Zhang J-Y, Xie X. COVID-19 and the cardiovascular system. Nat Rev Cardiol. March 2020:1-2. doi:10.1038/s41569-020-0360-5
7. Zhou B, She J, Wang Y, Ma X. The Clinical Characteristics of Myocardial injury in Severe and Very Severe Patients with 2019 Novel Coronavirus Disease. J Infect. 2020 Mar 21. pii: S0163-4453(20)30149-3. doi: 10.1016/j.jinf.2020.03.021.