

Racial and Ethnic Disparities in Contraceptive Use in Young Women

Cecilia Bahamón, BS; Katherine Leung, MPH; Luu D. Ireland, MD, MPH

Department of Obstetrics and Gynecology, University of Massachusetts Medical School and UMass Memorial Medical Center



Introduction

- Young women, aged 15 to 24, have the highest rates of unintended pregnancies in the United States.
- Black and Latina women are at highest risk.
- Few studies have examined reasons for these disparities.

Objective

- To determine whether there are differences in contraceptive use and contraceptive counseling by race and ethnicity among young women in the United States.

Materials and Methods

- Study Design: This analysis used data from the 2011-2013 National Survey of Family Growth
- Subjects: One thousand fifty two women aged 15 to 24 years who had sexual intercourse within the past year, and were not pregnant or seeking pregnancy.
- Primary outcome: Contraceptive use and contraceptive counseling within the past 12 months.
- Statistical analysis: Pearson Chi-Square, linear and logistic regression as appropriate. P-values of <0.05 were considered statistically significant (and are indicated with a *).

Results

- There were no differences between races in age, education, or marital status; there were differences in religion, poverty status, employment status, and immigration status (Table 1)
- Young women who identify as Hispanic (H) or non-Hispanic Black (NHB) are less likely to report current contraceptive use than their non-Hispanic White (NHW) or non-Hispanic Other (NHO) counterparts (Table 2, Figure 1).
- This finding remains statistically significant among NHB women after controlling for confounders (Table 2).
- There were no differences in birth control counseling received by race/ethnicity; however, NHW and NHO were more likely to have been issued contraception within the last 12 months (Table 3).

Table 1. Sociodemographics

Variable	Hispanic n (%)	Non-Hispanic Black n (%)	Non-Hispanic White n (%)	Non-Hispanic Other n (%)
Age (mean ± SE)	20.5 ± 0.23	20.4 ± 0.21	20.4 ± 0.16	20.6 ± 0.22
Education				
Did not complete high school	81 (26.9%)	73 (28.6%)	118 (22.9%)	26 (17.9%)
Some college	71 (31.1%)	63 (33.0%)	158 (36.6%)	38 (39.3%)
College complete or more	10 (7.4%)	14 (8.6%)	61 (13.4%)	8 (9.7%)
Marital Status				
Married	29 (8.2%)	6 (2.6%)	46 (9.2%)	8 (7.2%)
Co-habiting	47 (19.6%)	28 (13.0%)	87 (19.9%)	16 (27.3%)
Not married	186 (72.1%)	194 (84.4%)	333 (71.0%)	72 (65.6%)
Religion*				
No Religion	55 (20.5%)	26 (14.4%)	158 (34.2%)	20 (16.6%)
Catholic	137 (54.3)	13 (3.7%)	80 (17.2%)	13 (16.7%)
Protestant	63 (23.2%)	180 (76.4%)	200 (41.0%)	47 (42.6%)
Other	7 (2.1%)	9 (5.5%)	28 (7.6%)	16 (24.1%)
Poverty status*				
0-99% of poverty level	138 (44.8%)	119 (48.8%)	129 (24.2%)	36 (46.5%)
100-199% of poverty level	69 (32.1%)	53 (25.1%)	102 (21.2%)	18 (16.1%)
200-299% of poverty level	29 (9.4%)	25 (11.5%)	88 (17.8%)	18 (17.1%)
300 of poverty level or greater	26 (13.7%)	31 (14.6%)	147 (36.7%)	24 (20.3%)
Current employment status*				
Employed	130 (50.6%)	105 (53.7%)	290 (66.2%)	58 (58.1%)
Unemployed	132 (49.5%)	123 (46.3%)	176 (33.8%)	38 (41.9%)
USA-born*				
Yes	204 (80.7%)	216 (91.2%)	459 (99.0%)	82 (89.8%)
No	58 (19.3%)	12 (8.8%)	7 (1.0%)	14 (10.3%)

Table 2. Odds Ratios for Current Contraceptive Use

Race	N (%)	Unadjusted		Adjusted ¹	
		OR ± SE	95% CI	OR ± SE	95% CI
Non-Hispanic White	466 (54.3%)	1 (Ref.)		1 (Ref.)	
Hispanic	262 (20.8%)	0.55 ± 0.15*	0.33 – 0.93	0.57 ± 0.17	0.32-1.02
Non-Hispanic Black	228 (15.0%)	0.49 ± 0.12*	0.30-0.80	0.51 ± 0.13	0.31-0.82
Non-Hispanic Other	96 (9.9%)	1.58 ± 0.47	0.88-2.83	1.91 ± 0.67	0.96-3.81

¹Adjusted for variables with significant differences in Table 1 (religion, poverty status, current employment status, and USA-born)

Figure 1. Current Contraception Use Status*




Table 3. Contraceptive Counseling

Variable	Hispanic n (%)	Non-Hispanic Black n (%)	Non-Hispanic White n (%)	Non-Hispanic Other n (%)
Received counseling or information on birth control in last 12 months				
Yes	85 (28.9%)	75 (30.3%)	142 (33.4%)	30 (34.1%)
No	177 (71.1%)	153 (69.7%)	324 (66.6%)	66 (66.0%)
Obtained a method or prescription for method of birth control in last 12 months*				
Yes	119 (49.6%)	118 (49.0%)	286 (60.1%)	61 (64.8%)
No	143 (50.4%)	110 (51.0%)	180 (39.9%)	35 (35.2%)

Conclusions

- Young Hispanic and non-Hispanic black women are using birth control less frequently than non-Hispanic whites, despite similar rates of contraceptive counseling.
- The difference persists despite controlling for socio-economic differences.
- Future studies should investigate reasons for lower contraceptive uptake among young Hispanic and non-Hispanic black women.

Acknowledgements

- We gratefully acknowledge the support provided by UMass Medical School and the UMass Memorial Department of Obstetrics and Gynecology

References

1. Martinez GM, Abma JC. Sexual Activity, Contraceptive Use, and Childbearing of Teenagers Aged 15–19 in the United States Key findings. 2015.
2. Dehlendorf C, Park SY, Emeremni CA, Comer D, Vincett K, Borrero S. Racial/ethnic disparities in contraceptive use: variation by age and women's reproductive experiences. *Am J Obstet Gynecol.* 2014;210(6):526.e1-e526.e9.
3. CDC National Survey of Family Growth.; 2013-2015. http://www.cdc.gov/nchs/nsfg/nsfg_2013_2015_puf.htm.

Contact information: Cecilia Bahamón
cecilia.bahamon@umassmed.edu