

ERRATA

Expression of Collagenlike Sequences by a Tumor Virus, Herpesvirus Saimiri

PETER GECK, SCOTT A. WHITAKER, MARIA M. MEDVECZKY, AND PETER G. MEDVECZKY

*Departments of Pharmacology and Molecular Genetics and Microbiology, University of Massachusetts
Medical School, Worcester, Massachusetts 01655*

Volume 64, no. 7, p. 3512 and 3513: The nucleotide sequence in Fig. 5A, between nucleotide positions 1101 and 976, and the corresponding amino acid sequence in Fig. 6, between amino acid positions 64 and 105, should read as shown below:

CCC	CCA	GGA	CCT	CCA	GGA	CCT	TCA	GGA	CTG	CCA	GGA	TTG	TTT	GTA	ACA	AAC	TTA
P	P	G	P	P	G	P	S	G	L	P	G	L	F	V	T	N	L
TTG	CTT	GGA	ATC	ATA	ATT	TTA	CTC	TTA	TTA	ATT	ATA	GTT	GCG	ATC	TTA	CTG	GTG
L	L	G	I	I	I	L	L	L	L	I	I	V	A	I	L	L	V
TCT	AAA	TTA	GTA	GTA	AAC	TAA											
S	K	L	V	V	N												

Induction of Human Immunodeficiency Virus Type 1 Expression in Chronically Infected Cells Is Associated Primarily with a Shift in RNA Splicing Patterns

NELSON L. MICHAEL, PAUL MORROW, JOSEPH MOSCA, MARYANNE VAHEY,
DONALD S. BURKE, AND ROBERT R. REDFIELD

*Department of Retroviral Research and Division of Retrovirology, Walter Reed Army Institute of Research,
13 Taft Court Suite 200, Rockville, Maryland 20850, and SRA Technologies and
Henry M. Jackson Foundation, Rockville, Maryland 20850*

Volume 65, no. 3, p. 1292, "Oligodeoxynucleotide synthesis and sequences," line 9: Insert NEF-3 as shown:

NEF-3, 5' TTGCTACTTGTGATTGCTCCATGTTTTTC 3' (8529 through 8501);

Lines 11 and 12, FPS-3 should read:

FPS-3, 5' CGCACGGCAAGAGGCGAGGG 3' (260 through 279);